



SPECIFICATIONS:

3.9" die cast trim (2.6" aperture) GE Constant Color® CMH MR16 metal halide gimbal with 358° rotation and 25° tilt.

Trim Body

- Die cast aluminum trim body construction with external spring clips to secure trim body to rough-in.

Gimbal

- Die cast aluminum construction with twist lock lamp holder with 358° rotation and 25° tilt.
- Powder coat painted (white and black) and plated (matte chrome, chrome, and polished gold) finishes.

Trim

- 4" round trim shapes offered with powder coat painted (white, black, and metallic silver) and plated (chrome, polished gold, and satin nickel) finishes.
- Die cast aluminum construction.

Electrical:

- GX10 TAL ceramic socket with pre-wired high temperature wire leads provided with rough-in housing. Rough-in ordered separately

Lamping:

- 20 watt , GE Constant Color® CMH MR 16 metal halide, GX10 TAL base. Ordered separately

Compliances:

- UL and cUL Listed when specified with appropriate A35 Series rough-in housing.
- Suitable for use in damp location.

Ordering Information

To specify a complete catalog number, choose one item from the selection available in each module.

Example: M3.710MC – RWH – 00

Series	Lamping	Optic Style	Optic Finish	Trim Shape	Trim Finish	Trim Accessory
M3 .	7 – 20 watt GE Constant Color® CMH MR 16	10 – gimbal (matches trim)	WH – white BK - black MC – matte chrome	R – round	WH - white BK - black MS – metallic silver CH - chrome GD – polished gold SN – satin nickel	N/A

Use with A35 Series rough-ins

Ardee Lighting reserves the right to change product specifications without prior notification.

	Ardee Lighting	
2/21/2007	PO Box 1769 · 639 Washburn Switch Rd · Shelby · NC 28151 T 704. 482.2811 F 800.275.1544 E ardee@jjishelby.com www.ardeelighting.com	222273